

## Message structure: NKK instruction status (acmt.stc.001.03)

### Description:

Message sent from the KDPW system in response to NKK (client classification number) instructions. Message presents the status of sent instructions and the error code and reason, if any.

### Structure:

No.	or	< XML Tag >	Name	Multiplicity	Type
0		<a href="#">KDPWDocument</a>	KDPW system message	[1..1]	<a href="#">KDPWDocument</a>
0.1		<a href="#">acmt.stc.001.03</a>	NKK instruction status	[1..n]	<a href="#">acmt.stc.001.03</a>
1		<a href="#">GnlInf</a>	General information	[1..1]	<a href="#">GeneralInformation</a>
1.1		<a href="#">SndrMsgRef</a>	Sender message reference	[1..1]	<a href="#">Max16Text</a>
1.2		<a href="#">FuncOfMsg</a>	Function of message	[1..1]	<a href="#">FunctionOfMessage</a>
1.3		<a href="#">CreDtTm</a>	Creation date and time	[0..1]	<a href="#">DateAndDateTimeChoice</a>
1.3.1	{ or	<a href="#">Dt</a>	Date	[1..1]	<a href="#">ISODate</a>
1.3.2	or }	<a href="#">DtTm</a>	Date and time	[1..1]	<a href="#">ISODateTime</a>
1.4		<a href="#">EligDt</a>	Eligibility date	[1..1]	<a href="#">ISODate</a>
1.5		<a href="#">Lnk</a>	Linkages	[0..1]	<a href="#">Linkages</a>
1.5.1		<a href="#">RltdRef</a>	Previous reference	[0..1]	<a href="#">Max16Text</a>
2		<a href="#">ClntDtls</a>	NKK details	[1..1]	<a href="#">ClientDetails</a>
2.1		<a href="#">ClntId</a>	Client classification number (NKK)	[0..1]	<a href="#">Max8Text</a>
2.2		<a href="#">ClntNm</a>	NKK name	[0..1]	<a href="#">Max16TextCollapse</a>
2.3		<a href="#">ClntTp</a>	NKK type (collective/individual/aggregated)	[1..1]	<a href="#">Code4Text</a>
2.4		<a href="#">DrctIndrctInd</a>	Client indicator (direct/indirect)	[0..1]	<a href="#">Code4Text</a>
2.5		<a href="#">LegalSts</a>	Institutional/individual client	[0..1]	<a href="#">Max1Text</a>
2.6		<a href="#">NIP</a>	NIP	[0..1]	<a href="#">Max20Text</a>
2.7		<a href="#">REGON</a>	REGON	[0..1]	<a href="#">Max20Text</a>
2.8		<a href="#">LEI</a>	LEI	[0..1]	<a href="#">LEIIdentifier</a>

2.9		<u>BIC</u>	BIC	[0..1]	<u>BICIdentifier</u>	
2.10		<u>dSctr</u>	<u>CtrPtyAdrAn</u>	Counterparty address and sector	[0..1]	<u>CounterpartyAddressAndSectorDetails</u>
2.10.1			<u>Nm</u>	Name	[0..1]	<u>Max100Text</u>
2.10.2			<u>Dmcl</u>	Domicile	[0..1]	<u>Domicile</u>
2.10.2.1			<u>Ctry</u>	Country	[1..1]	<u>CountryCode</u>
2.10.2.2			<u>PstCd</u>	Postal code	[0..1]	<u>Max40Text</u>
2.10.2.3			<u>TwNm</u>	Town name	[0..1]	<u>Max60Text</u>
2.10.2.4			<u>StrtNm</u>	Street name	[0..1]	<u>Max150Text</u>
2.10.2.5			<u>BldgId</u>	Building identifier	[0..1]	<u>Max20Text</u>
2.10.2.6			<u>PrmsId</u>	Premises identifier	[0..1]	<u>Max20Text</u>
2.10.2.7		<u>s</u>	<u>DmclDtl</u>	Domicile details	[0..1]	<u>Max208Text</u>
2.10.3			<u>CorpSctr</u>	Corporate sector	[0..1]	<u>Max53Text</u>
2.10.4		<u>Ind</u>	<u>FinNonFin</u>	Financial/non-financial indicator	[0..1]	<u>Max1Text</u>
2.10.5		<u>tvty</u>	<u>CmmrcIAc</u>	Commercial activity	[0..1]	<u>Max1Text</u>
2.10.6			<u>ClrTrshld</u>	Clearing threshold	[0..1]	<u>Max1Text</u>
3			<u>ClntCls</u>	NKK class	[0..1]	<u>ClientClass</u>
3.1			<u>ClsVal</u>	Class value	[1..n]	<u>ClassValue</u>
4			<u>Sts</u>	Status	[1..1]	<u>Status</u>
4.1			<u>StsCd</u>	Status code	[1..1]	<u>Code4Text</u>
4.2			<u>Rsn</u>	Reason	[0..1]	<u>Reason</u>
4.2.1			<u>RsnCd</u>	Reason code	[0..1]	<u>Code4Text</u>
4.2.2			<u>RsnTxt</u>	Reason text	[0..1]	<u>Max140Text</u>

## Message component elements:

KDPWDocument- KDPW system message (element)	
Description	KDPW system message

<b>Type</b>	<a href="#">KDPWDocument</a>						
<b>Source</b>	<code>&lt;xs:element name="KDPWDocument" type="KDPWDocument" /&gt;</code>						
<b>BICIdentifier-</b> BIC identifier ( <b>simple type</b> )							
<b>Description</b>	Financial institution BIC identifier						
<b>Type</b>	Derivative of type: xs:string						
<b>Format</b>	xs:pattern=[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}						
<b>Source</b>	<pre> &lt;xs:simpleType name="BICIdentifier" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:pattern value="[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>						
<b>ClassValue-</b> Class value ( <b>complex type</b> )							
<b>Description</b>	Client or client group class value						
<b>Type</b>	Derivative of type: <a href="#">Code4Text</a>						
<b>Attributes</b>	<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Type</th> </tr> </thead> <tbody> <tr> <td>ClsTp</td> <td>Claa type</td> <td><a href="#">Code4Text</a></td> </tr> </tbody> </table>	Name	Description	Type	ClsTp	Claa type	<a href="#">Code4Text</a>
Name	Description	Type					
ClsTp	Claa type	<a href="#">Code4Text</a>					
<b>Source</b>	<pre> &lt;xs:complexType name="ClassValue" &gt;   &lt;xs:simpleContent&gt;     &lt;xs:extension base="Code4Text" &gt;       &lt;xs:attribute name="ClsTp" type="Code4Text" use="required" /&gt;     &lt;/xs:extension&gt;   &lt;/xs:simpleContent&gt; &lt;/xs:complexType&gt; </pre>						
<b>ClientClass-</b> Client class ( <b>complex type</b> )							
<b>Description</b>	Client or client group class						
<b>Component elements</b>	<a href="#">ClsVal</a> {1,unbounded}						
<b>Source</b>	<pre> &lt;xs:complexType name="ClientClass" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="ClsVal" type="ClassValue" maxOccurs="unbounded" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>						
<b>ClientClass/ClsVal-</b> Class value ( <b>element</b> )							
<b>Description</b>	Class value. Valid classes: RESI-client's country of residence (values: RESI-resident, NRES-non-resident, OMNI-omnibus account holder, NOAP-not applicable).						
<b>Type</b>	<a href="#">ClassValue</a>						
<b>Source</b>	<code>&lt;xs:element name="ClsVal" type="ClassValue" maxOccurs="unbounded" /&gt;</code>						
<b>ClientDetails-</b> NKK details ( <b>complex type</b> )							

<b>Description</b>	Client classification number NKK details
<b>Component elements</b>	<u>ClntId</u> {0,1} <u>ClntNm</u> {0,1} <u>ClntTp</u> <u>DrctIndrctInd</u> {0,1} <u>LegalSts</u> {0,1} <u>NIP</u> {0,1} <u>REGON</u> {0,1} <u>LEI</u> {0,1} <u>BIC</u> {0,1} <u>CtrPtyAdrAndSctr</u> {0,1}
<b>Source</b>	<pre> &lt;xs:complexType name="ClientDetails" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="ClntId" type="Max8Text" minOccurs="0" /&gt;     &lt;xs:element name="ClntNm" type="Max16TextCollapse" minOccurs="0" /&gt;     &lt;xs:element name="ClntTp" type="Code4Text" /&gt;     &lt;xs:element name="DrctIndrctInd" type="Code4Text" minOccurs="0" /&gt;     &lt;xs:element name="LegalSts" type="Max1Text" minOccurs="0" /&gt;     &lt;xs:element name="NIP" type="Max20Text" minOccurs="0" /&gt;     &lt;xs:element name="REGON" type="Max20Text" minOccurs="0" /&gt;     &lt;xs:element name="LEI" type="LEIIdentifier" minOccurs="0" /&gt;     &lt;xs:element name="BIC" type="BICIdentifier" minOccurs="0" /&gt;     &lt;xs:element name="CtrPtyAdrAndSctr" type="CounterpartyAddressAndSectorDetails" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
<b>ClientDetails/ClntId- Client classification number (NKK) (element)</b>	
<b>Description</b>	Client classification number (NKK)
<b>Type</b>	<u>Max8Text</u>
<b>Source</b>	<pre>&lt;xs:element name="ClntId" type="Max8Text" minOccurs="0" /&gt;</pre>
<b>ClientDetails/ClntNm- NKK name (element)</b>	
<b>Description</b>	NKK name
<b>Type</b>	<u>Max16TextCollapse</u>
<b>Source</b>	<pre>&lt;xs:element name="ClntNm" type="Max16TextCollapse" minOccurs="0" /&gt;</pre>
<b>ClientDetails/ClntTp- NKK type (collective/individual/aggregated) (element)</b>	
<b>Description</b>	NKK type (collective/individual/aggregated)
<b>Type</b>	<u>Code4Text</u>
<b>Source</b>	<pre>&lt;xs:element name="ClntTp" type="Code4Text" /&gt;</pre>
<b>ClientDetails/DrctIndrctInd- Client Indicator (direct/indirect) (element)</b>	
<b>Description</b>	Client Indicator (direct/indirect)

Type	<a href="#">Code4Text</a>
Source	<code>&lt;xs:element name="DrcIndrcInd" type="Code4Text" minOccurs="0" /&gt;</code>
<b>ClientDetails/LegalSts- Institutional/individual client (element)</b>	
Description	Institutional/individual client
Type	<a href="#">Max1Text</a>
Source	<code>&lt;xs:element name="LegalSts" type="Max1Text" minOccurs="0" /&gt;</code>
<b>ClientDetails/NIP- NIP (element)</b>	
Description	NIP
Type	<a href="#">Max20Text</a>
Source	<code>&lt;xs:element name="NIP" type="Max20Text" minOccurs="0" /&gt;</code>
<b>ClientDetails/REGON- REGON (element)</b>	
Description	REGON
Type	<a href="#">Max20Text</a>
Source	<code>&lt;xs:element name="REGON" type="Max20Text" minOccurs="0" /&gt;</code>
<b>ClientDetails/LEI- LEI (element)</b>	
Description	LEI
Type	<a href="#">LEIIdentifier</a>
Source	<code>&lt;xs:element name="LEI" type="LEIIdentifier" minOccurs="0" /&gt;</code>
<b>ClientDetails/BIC- BIC (element)</b>	
Description	BIC
Type	<a href="#">BICIdentifier</a>
Source	<code>&lt;xs:element name="BIC" type="BICIdentifier" minOccurs="0" /&gt;</code>
<b>ClientDetails/CtrPtyAdrAndSctr- Counterparty address and sector (element)</b>	
Description	Counterparty address and sector
Type	<a href="#">CounterpartyAddressAndSectorDetails</a>
Source	<code>&lt;xs:element name="CtrPtyAdrAndSctr" type="CounterpartyAddressAndSectorDetails" minOccurs="0" /&gt;</code>
<b>Code4Text- Qualifier (simple type)</b>	
Description	Qualifier, code
Type	Derivative of type: xs:string
Format	Min. length=4 Max. length=4

<b>Source</b>	<pre> &lt;xs:simpleType name="Code4Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="4" /&gt;     &lt;xs:maxLength value="4" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
<b>CounterpartyAddressAndSectorDetails- Counterparty address and sector (complex type)</b>	
<b>Description</b>	Counterparty address and sector
<b>Component elements</b>	<p> <a href="#">Nm</a>{0,1}  <a href="#">Dmcl</a>{0,1}  <a href="#">CorpSctr</a>{0,1}  <a href="#">FinNonFinInd</a>{0,1}  <a href="#">CmmrclActvty</a>{0,1}  <a href="#">ClrTrshld</a>{0,1} </p>
<b>Source</b>	<pre> &lt;xs:complexType name="CounterpartyAddressAndSectorDetails" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="Nm" type="Max100Text" minOccurs="0" /&gt;     &lt;xs:element name="Dmcl" type="Domicile" minOccurs="0" /&gt;     &lt;xs:element name="CorpSctr" type="Max53Text" minOccurs="0" /&gt;     &lt;xs:element name="FinNonFinInd" type="Max1Text" minOccurs="0" /&gt;     &lt;xs:element name="CmmrclActvty" type="Max1Text" minOccurs="0" /&gt;     &lt;xs:element name="ClrTrshld" type="Max1Text" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
<b>CounterpartyAddressAndSectorDetails/Nm- Name (element)</b>	
<b>Description</b>	Name
<b>Type</b>	<a href="#">Max100Text</a>
<b>Source</b>	<pre>&lt;xs:element name="Nm" type="Max100Text" minOccurs="0" /&gt;</pre>
<b>CounterpartyAddressAndSectorDetails/Dmcl- Domicile (element)</b>	
<b>Description</b>	Domicile
<b>Type</b>	<a href="#">Domicile</a>
<b>Source</b>	<pre>&lt;xs:element name="Dmcl" type="Domicile" minOccurs="0" /&gt;</pre>
<b>CounterpartyAddressAndSectorDetails/CorpSctr- Corporate sector (element)</b>	
<b>Description</b>	Corporate sector
<b>Type</b>	<a href="#">Max53Text</a>
<b>Source</b>	<pre>&lt;xs:element name="CorpSctr" type="Max53Text" minOccurs="0" /&gt;</pre>
<b>CounterpartyAddressAndSectorDetails/FinNonFinInd- Financial/non-financial indicator (element)</b>	
<b>Description</b>	Financial/non-financial indicator

<b>Type</b>	<a href="#">Max1Text</a>
<b>Source</b>	<code>&lt;xs:element name="FinNonFinInd" type="Max1Text" minOccurs="0" /&gt;</code>
<b>CounterpartyAddressAndSectorDetails/Cmmrc1Actvty- Commercial activity (element)</b>	
<b>Description</b>	Commercial activity
<b>Type</b>	<a href="#">Max1Text</a>
<b>Source</b>	<code>&lt;xs:element name="Cmmrc1Actvty" type="Max1Text" minOccurs="0" /&gt;</code>
<b>CounterpartyAddressAndSectorDetails/ClrTrshld- Clearing threshold (element)</b>	
<b>Description</b>	Clearing threshold
<b>Type</b>	<a href="#">Max1Text</a>
<b>Source</b>	<code>&lt;xs:element name="ClrTrshld" type="Max1Text" minOccurs="0" /&gt;</code>
<b>CountryCode- Country code (simple type)</b>	
<b>Description</b>	Country code
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	<code>xs:pattern=[A-Z]{2,2}</code>
<b>Source</b>	<pre>&lt;xs:simpleType name="CountryCode" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:pattern value="[A-Z]{2,2}" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>DateAndDateTimeChoice- Date and time (complex type)</b>	
<b>Description</b>	Date and time
<b>Component elements</b>	<a href="#">Dt</a> <a href="#">DtTm</a>
<b>Source</b>	<pre>&lt;xs:complexType name="DateAndDateTimeChoice" &gt;   &lt;xs:sequence &gt;     &lt;xs:choice &gt;       &lt;xs:element name="Dt" type="ISODate" /&gt;       &lt;xs:element name="DtTm" type="ISODateTime" /&gt;     &lt;/xs:choice&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>DateAndDateTimeChoice/Dt- Date (element)</b>	
<b>Description</b>	Date
<b>Type</b>	<a href="#">ISODate</a>
<b>Source</b>	<code>&lt;xs:element name="Dt" type="ISODate" /&gt;</code>
<b>DateAndDateTimeChoice/DtTm- Date and time (element)</b>	

<b>Description</b>	Date and time
<b>Type</b>	<a href="#">ISODateTime</a>
<b>Source</b>	<code>&lt;xs:element name="DtTm" type="ISODateTime" /&gt;</code>
<b>Domicile- Domicile (complex type)</b>	
<b>Description</b>	Domicile
<b>Component elements</b>	<a href="#">Ctry</a> <a href="#">PstCd</a> {0,1} <a href="#">TwnNm</a> {0,1} <a href="#">StrtNm</a> {0,1} <a href="#">Bldgld</a> {0,1} <a href="#">Prmsld</a> {0,1} <a href="#">DmclDtls</a> {0,1}
<b>Source</b>	<pre> &lt;xs:complexType name="Domicile" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="Ctry" type="CountryCode" /&gt;     &lt;xs:element name="PstCd" type="Max40Text" minOccurs="0" /&gt;     &lt;xs:element name="TwnNm" type="Max60Text" minOccurs="0" /&gt;     &lt;xs:element name="StrtNm" type="Max150Text" minOccurs="0" /&gt;     &lt;xs:element name="Bldgld" type="Max20Text" minOccurs="0" /&gt;     &lt;xs:element name="Prmsld" type="Max20Text" minOccurs="0" /&gt;     &lt;xs:element name="DmclDtls" type="Max208Text" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
<b>Domicile/Ctry- Country (element)</b>	
<b>Description</b>	Country
<b>Type</b>	<a href="#">CountryCode</a>
<b>Source</b>	<code>&lt;xs:element name="Ctry" type="CountryCode" /&gt;</code>
<b>Domicile/PstCd- Postal code (element)</b>	
<b>Description</b>	Postal code
<b>Type</b>	<a href="#">Max40Text</a>
<b>Source</b>	<code>&lt;xs:element name="PstCd" type="Max40Text" minOccurs="0" /&gt;</code>
<b>Domicile/TwnNm- Town name (element)</b>	
<b>Description</b>	Town name
<b>Type</b>	<a href="#">Max60Text</a>
<b>Source</b>	<code>&lt;xs:element name="TwnNm" type="Max60Text" minOccurs="0" /&gt;</code>
<b>Domicile/StrtNm- Street name (element)</b>	
<b>Description</b>	Street name
<b>Type</b>	<a href="#">Max150Text</a>



<b>Source</b>	<code>&lt;xs:element name="StrtNm" type="Max150Text" minOccurs="0" /&gt;</code>						
<b>Domicile/BldgId- Building identifier (element)</b>							
<b>Description</b>	Building identifier						
<b>Type</b>	<a href="#">Max20Text</a>						
<b>Source</b>	<code>&lt;xs:element name="BldgId" type="Max20Text" minOccurs="0" /&gt;</code>						
<b>Domicile/PrmsId- Premises identifier (element)</b>							
<b>Description</b>	Premises identifier						
<b>Type</b>	<a href="#">Max20Text</a>						
<b>Source</b>	<code>&lt;xs:element name="PrmsId" type="Max20Text" minOccurs="0" /&gt;</code>						
<b>Domicile/DmclDtls- Domicile details (element)</b>							
<b>Description</b>	Domicile details						
<b>Type</b>	<a href="#">Max208Text</a>						
<b>Source</b>	<code>&lt;xs:element name="DmclDtls" type="Max208Text" minOccurs="0" /&gt;</code>						
<b>FunctionOfMessage- Function of message (simple type)</b>							
<b>Description</b>	Function of message						
<b>Type</b>	Derivative of type: xs:string						
<b>Format</b>	<table border="0"> <thead> <tr> <th>Kod</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>NEWM</td> <td>New client type</td> </tr> <tr> <td>REPL</td> <td>Client information replacement</td> </tr> </tbody> </table>	Kod	Description	NEWM	New client type	REPL	Client information replacement
Kod	Description						
NEWM	New client type						
REPL	Client information replacement						
<b>Source</b>	<pre> &lt;xs:simpleType name="FunctionOfMessage" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:enumeration value="NEWM" /&gt;     &lt;xs:enumeration value="REPL" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>						
<b>GeneralInformation- General information (complex type)</b>							
<b>Description</b>	General information						
<b>Component elements</b>	<a href="#">SndrMsgRef</a> <a href="#">FuncOfMsg</a> <a href="#">CreDtTm</a> {0,1} <a href="#">EligDt</a> <a href="#">Lnk</a> {0,1}						
<b>Source</b>	<pre> &lt;xs:complexType name="GeneralInformation" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="SndrMsgRef" type="Max16Text" /&gt;     &lt;xs:element name="FuncOfMsg" type="FunctionOfMessage" /&gt;     &lt;xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /&gt;     &lt;xs:element name="EligDt" type="ISODate" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>						

	<pre>&lt;xs:element name="Lnk" type="Linkages" minOccurs="0" /&gt; &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>GeneralInformation/SndrMsgRef- Sender message reference (element)</b>	
<b>Description</b>	Sender message reference
<b>Type</b>	<a href="#">Max16Text</a>
<b>Source</b>	<pre>&lt;xs:element name="SndrMsgRef" type="Max16Text" /&gt;</pre>
<b>GeneralInformation/FuncOfMsg- Function of message (element)</b>	
<b>Description</b>	Function of message
<b>Type</b>	<a href="#">FunctionOfMessage</a>
<b>Source</b>	<pre>&lt;xs:element name="FuncOfMsg" type="FunctionOfMessage" /&gt;</pre>
<b>GeneralInformation/CreDtTm- Creation date and time (element)</b>	
<b>Description</b>	Creation date and time
<b>Type</b>	<a href="#">DateAndDateTimeChoice</a>
<b>Source</b>	<pre>&lt;xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /&gt;</pre>
<b>GeneralInformation/EligDt- Eligibility date (element)</b>	
<b>Description</b>	Eligibility date
<b>Type</b>	<a href="#">ISODate</a>
<b>Source</b>	<pre>&lt;xs:element name="EligDt" type="ISODate" /&gt;</pre>
<b>GeneralInformation/Lnk- Linkages (element)</b>	
<b>Description</b>	Linkages to other messages
<b>Type</b>	<a href="#">Linkages</a>
<b>Source</b>	<pre>&lt;xs:element name="Lnk" type="Linkages" minOccurs="0" /&gt;</pre>
<b>ISODate- Date (simple type)</b>	
<b>Description</b>	Date
<b>Type</b>	Derivative of type: xs:date
<b>Format</b>	
<b>Source</b>	<pre>&lt;xs:simpleType name="ISODate" &gt;   &lt;xs:restriction base="xs:date" &gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>ISODateTime- Date and time (simple type)</b>	
<b>Description</b>	Date and time
<b>Type</b>	Derivative of type: xs:dateTime

<b>Format</b>										
<b>Source</b>	<pre>&lt;xs:simpleType name="ISODateTime" &gt;   &lt;xs:restriction base="xs:dateTime" &gt;     &lt;/xs:restriction&gt;   &lt;/xs:simpleType&gt;</pre>									
<b>KDPWDocument- KDPW system message (complex type)</b>										
<b>Description</b>	KDPW system message									
<b>Attributes</b>	<table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Type</th> </tr> </thead> <tbody> <tr> <td>Sndr</td> <td>Sender</td> <td><a href="#">KDPWMemberIdentifier</a></td> </tr> <tr> <td>Rcvr</td> <td>Receiver</td> <td><a href="#">KDPWMemberIdentifier</a></td> </tr> </tbody> </table>	Name	Description	Type	Sndr	Sender	<a href="#">KDPWMemberIdentifier</a>	Rcvr	Receiver	<a href="#">KDPWMemberIdentifier</a>
Name	Description	Type								
Sndr	Sender	<a href="#">KDPWMemberIdentifier</a>								
Rcvr	Receiver	<a href="#">KDPWMemberIdentifier</a>								
<b>Component elements</b>	<a href="#">acmt.stc.001.03</a> { 1,unbounded }									
<b>Source</b>	<pre>&lt;xs:complexType name="KDPWDocument" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="acmt.stc.001.03" type="acmt.stc.001.03" maxOccurs="unbounded" /&gt;   &lt;/xs:sequence&gt;   &lt; xs:attribute name="Sndr" type="KDPWMemberIdentifier" use="required" /&gt;   &lt; xs:attribute name="Rcvr" type="KDPWMemberIdentifier" use="required" /&gt; &lt;/xs:complexType&gt;</pre>									
<b>KDPWDocument/acmt.stc.001.03- NKK instruction status (element)</b>										
<b>Description</b>	NKK instruction status									
<b>Type</b>	<a href="#">acmt.stc.001.03</a>									
<b>Source</b>	<pre>&lt;xs:element name="acmt.stc.001.03" type="acmt.stc.001.03" maxOccurs="unbounded" /&gt;</pre>									
<b>KDPWMemberIdentifier- KDPW member identifier (simple type)</b>										
<b>Description</b>	KDPW member identifier									
<b>Type</b>	Derivative of type: xs:string									
<b>Format</b>	Min. length=4 Max. length=4									
<b>Source</b>	<pre>&lt;xs:simpleType name="KDPWMemberIdentifier" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="4" /&gt;     &lt;xs:maxLength value="4" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>									
<b>LEIIdentifier- LEI Identifier (simple type)</b>										
<b>Description</b>	LEI Identifier									
<b>Type</b>	Derivative of type: xs:string									

<b>Format</b>	xs:pattern=[A-Z0-9]{18,18}[0-9]{2,2}
<b>Source</b>	<pre>&lt;xs:simpleType name="LEIIdentifier" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:pattern value="[A-Z0-9]{18,18}[0-9]{2,2}" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Linkages- Linkages (complex type)</b>	
<b>Description</b>	Linkages to other messages
<b>Component elements</b>	<a href="#">RltdRef</a> {0,1}
<b>Source</b>	<pre>&lt;xs:complexType name="Linkages" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="RltdRef" type="Max16Text" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>Linkages/RltdRef- Previous reference (element)</b>	
<b>Description</b>	Previous client message reference
<b>Type</b>	<a href="#">Max16Text</a>
<b>Source</b>	<pre>&lt;xs:element name="RltdRef" type="Max16Text" minOccurs="0" /&gt;</pre>
<b>Max1Text- Text (simple type)</b>	
<b>Description</b>	Maximum 1 character text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=1
<b>Source</b>	<pre>&lt;xs:simpleType name="Max1Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="1" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max2Text- Text (simple type)</b>	
<b>Description</b>	Maximum 2 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=2
<b>Source</b>	<pre>&lt;xs:simpleType name="Max2Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;</pre>

	<pre> &lt;xs:minLength value="1" /&gt; &lt;xs:maxLength value="2" /&gt; &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
<b>Max4Text- Text (simple type)</b>	
<b>Description</b>	Maximum 4 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=4
<b>Source</b>	<pre> &lt;xs:simpleType name="Max4Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="4" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
<b>Max8Text- Text (simple type)</b>	
<b>Description</b>	Maximum 8 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=8
<b>Source</b>	<pre> &lt;xs:simpleType name="Max8Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="8" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
<b>Max16Text- Text (simple type)</b>	
<b>Description</b>	Maximum 16 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=16
<b>Source</b>	<pre> &lt;xs:simpleType name="Max16Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="16" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt; </pre>
<b>Max16TextCollapse- Text (simple type)</b>	

<b>Description</b>	Maximum 16 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=16
<b>Source</b>	<pre>&lt;xs:simpleType name="Max16TextCollapse" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:whiteSpace value="collapse" /&gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="16" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max20Text- Text (simple type)</b>	
<b>Description</b>	Maximum 20 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=20
<b>Source</b>	<pre>&lt;xs:simpleType name="Max20Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="20" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max40Text- Text (simple type)</b>	
<b>Description</b>	Maximum 40 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=40
<b>Source</b>	<pre>&lt;xs:simpleType name="Max40Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="40" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max53Text- Text (simple type)</b>	
<b>Description</b>	Maximum 53 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Maks. length=53

<b>Source</b>	<pre>&lt;xs:simpleType name="Max53Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="53" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max60Text- Text (simple type)</b>	
<b>Description</b>	Maximum 60 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=60
<b>Source</b>	<pre>&lt;xs:simpleType name="Max60Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="60" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max100Text- Text (simple type)</b>	
<b>Description</b>	Maximum 100 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=100
<b>Source</b>	<pre>&lt;xs:simpleType name="Max100Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="100" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max140Text- Text (simple type)</b>	
<b>Description</b>	Maximum 140 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=140
<b>Source</b>	<pre>&lt;xs:simpleType name="Max140Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="140" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max150Text- Text (simple type)</b>	

<b>Description</b>	Maximum 150 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=150
<b>Source</b>	<pre>&lt;xs:simpleType name="Max150Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="150" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Max208Text- Text (simple type)</b>	
<b>Description</b>	Maximum 208 characters text
<b>Type</b>	Derivative of type: xs:string
<b>Format</b>	Min. length=1 Max. length=208
<b>Source</b>	<pre>&lt;xs:simpleType name="Max208Text" &gt;   &lt;xs:restriction base="xs:string" &gt;     &lt;xs:minLength value="1" /&gt;     &lt;xs:maxLength value="208" /&gt;   &lt;/xs:restriction&gt; &lt;/xs:simpleType&gt;</pre>
<b>Reason- Reason (complex type)</b>	
<b>Description</b>	Reason
<b>Component elements</b>	<a href="#">RsnCd</a> {0,1} <a href="#">RsnTxt</a> {0,1}
<b>Source</b>	<pre>&lt;xs:complexType name="Reason" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="RsnCd" type="Code4Text" minOccurs="0" /&gt;     &lt;xs:element name="RsnTxt" type="Max140Text" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt;</pre>
<b>Reason/RsnCd- Reason code (element)</b>	
<b>Description</b>	Reason code
<b>Type</b>	<a href="#">Code4Text</a>
<b>Source</b>	<pre>&lt;xs:element name="RsnCd" type="Code4Text" minOccurs="0" /&gt;</pre>
<b>Reason/RsnTxt- Reason text (element)</b>	
<b>Description</b>	Reason text
<b>Type</b>	<a href="#">Max140Text</a>



<b>Source</b>	<code>&lt;xs:element name="RsnTxt" type="Max140Text" minOccurs="0" /&gt;</code>
<b>Status- Status (complex type)</b>	
<b>Description</b>	Status
<b>Component elements</b>	<a href="#">StsCd</a> <a href="#">Rsn</a> {0,1}
<b>Source</b>	<pre> &lt;xs:complexType name="Status" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="StsCd" type="Code4Text" /&gt;     &lt;xs:element name="Rsn" type="Reason" minOccurs="0" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
<b>Status/StsCd- Status code (element)</b>	
<b>Description</b>	Status code
<b>Type</b>	<a href="#">Code4Text</a>
<b>Source</b>	<code>&lt;xs:element name="StsCd" type="Code4Text" /&gt;</code>
<b>Status/Rsn- Reason (element)</b>	
<b>Description</b>	Reason
<b>Type</b>	<a href="#">Reason</a>
<b>Source</b>	<code>&lt;xs:element name="Rsn" type="Reason" minOccurs="0" /&gt;</code>
<b>acmt.stc.001.03- NKK instruction status (complex type)</b>	
<b>Description</b>	NKK instruction status
<b>Component elements</b>	<a href="#">GnlInf</a> <a href="#">ClntDtls</a> <a href="#">ClntClss</a> {0,1} <a href="#">Sts</a>
<b>Source</b>	<pre> &lt;xs:complexType name="acmt.stc.001.03" &gt;   &lt;xs:sequence &gt;     &lt;xs:element name="GnlInf" type="GeneralInformation" /&gt;     &lt;xs:element name="ClntDtls" type="ClientDetails" /&gt;     &lt;xs:element name="ClntClss" type="ClientClass" minOccurs="0" /&gt;     &lt;xs:element name="Sts" type="Status" /&gt;   &lt;/xs:sequence&gt; &lt;/xs:complexType&gt; </pre>
<b>acmt.stc.001.03/GnlInf- General information (element)</b>	
<b>Description</b>	General information
<b>Type</b>	<a href="#">GeneralInformation</a>
<b>Source</b>	<code>&lt;xs:element name="GnlInf" type="GeneralInformation" /&gt;</code>
<b>acmt.stc.001.03/ClntDtls- NKK details (element)</b>	

<b>Description</b>	NKK details
<b>Type</b>	<u>ClientDetails</u>
<b>Source</b>	<xs:element name="ClntDtls" type="ClientDetails" />
<b>acmt.stc.001.03/ClntCls- NKK class (element)</b>	
<b>Description</b>	NKK class
<b>Type</b>	<u>ClientClass</u>
<b>Source</b>	<xs:element name="ClntCls" type="ClientClass" minOccurs="0" />
<b>acmt.stc.001.03/Sts- Status (element)</b>	
<b>Description</b>	Status
<b>Type</b>	<u>Status</u>
<b>Source</b>	<xs:element name="Sts" type="Status" />