

Structure of message: Auction - on-demand auction result acceptance
(auct.oda.001.01)

Description:

Auction - on-demand auction result acceptance

Structure:

No.	Or	< XML Tag >	Name	Multiplicity	Type
No.	Or	< XML Tag >	Name	Multiplicity	Type
0.1		auct.oda.001.01	Auction - on-demand auction result acceptance	[1..1]	auct.oda.001.01
1		GnlInf	General information	[1..1]	GeneralInformation
1.1		SndrMsgRef	Sender message reference	[1..1]	Max16Text
1.2		FuncOfMsg	Function of message	[1..1]	FunctionOfMessage
1.3		CreDtTm	Creation date and time	[0..1]	DateAndDateTimeChoice
1.3.1	{ or	Dt	Date	[1..1]	ISODate
1.3.2	or }	DtTm	Date and time	[1..1]	ISODateTime
2		AcptncDtls	Acceptance details	[1..1]	AcceptanceDetails
2.1		RqstId	Request identifier	[1..1]	Max16Text
2.2		AuctnId	Auction identifier	[1..1]	Max16Text
2.3		Rspns	Offer accepted (ACPT) or rejected (RJCT)	[1..1]	Code4Text

Message component elements:

KDPWDocument- KDPW_CCP system message (element)	
Description	KDPW_CCP system message
Type	KDPWDocument
Source	<xs:element name="KDPWDocument" type="KDPWDocument" />
Code4Text- Qualifier (simple type)	
Description	Qualifier, code
Type	Derivative of type: xs:string
Format	Min. length=4 Max. length=4

Source	<pre> <xs:simpleType name="Code4Text" > <xs:restriction base="xs:string" > <xs:whiteSpace value="collapse" /> <xs:minLength value="4" /> <xs:maxLength value="4" /> </xs:restriction> </xs:simpleType> </pre>				
DateAndDateTimeChoice- Date and time (complex type)					
Description	Date and time				
Component elements	Dt DtTm				
Source	<pre> <xs:complexType name="DateAndDateTimeChoice" > <xs:sequence > <xs:choice > <xs:element name="Dt" type="ISODate" /> <xs:element name="DtTm" type="ISODateTime" /> </xs:choice> </xs:sequence> </xs:complexType> </pre>				
DateAndDateTimeChoice/Dt- Date (element)					
Description	Date				
Type	ISODate				
Source	<pre><xs:element name="Dt" type="ISODate" /></pre>				
DateAndDateTimeChoice/DtTm- Date and time (element)					
Description	Date and time				
Type	ISODateTime				
Source	<pre><xs:element name="DtTm" type="ISODateTime" /></pre>				
FunctionOfMessage- Function of message (simple type)					
Description	Function of message				
Type	Derivative of type: xs:string				
Format	<table border="1"> <thead> <tr> <th>Code</th> <th>Description</th> </tr> </thead> <tbody> <tr> <td>NEWM</td> <td>New message</td> </tr> </tbody> </table>	Code	Description	NEWM	New message
Code	Description				
NEWM	New message				
Source	<pre> <xs:simpleType name="FunctionOfMessage" > <xs:restriction base="xs:string" > <xs:enumeration value="NEWM" /> </xs:restriction> </xs:simpleType> </pre>				
GeneralInformation- General information (complex type)					
Description	General information				
Component elements	SndrMsgRef FuncOfMsg CreDtTm {0,1}				

Source	<pre><xs:complexType name="GeneralInformation" > <xs:sequence > <xs:element name="SndrMsgRef" type="Max16Text" /> <xs:element name="FuncOfMsg" type="FunctionOfMessage" /> <xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /> </xs:sequence> </xs:complexType></pre>		
GeneralInformation/SndrMsgRef- Sender message reference (element)			
Description	Sender message reference		
Type	Max16Text		
Source	<pre><xs:element name="SndrMsgRef" type="Max16Text" /></pre>		
GeneralInformation/FuncOfMsg- Function of message (element)			
Description	Function of message		
Type	FunctionOfMessage		
Source	<pre><xs:element name="FuncOfMsg" type="FunctionOfMessage" /></pre>		
GeneralInformation/CreDtTm- Creation date and time (element)			
Description	Creation date and time		
Type	DateAndDateTimeChoice		
Source	<pre><xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /></pre>		
ISODate- Date (simple type)			
Description	Date		
Type	Derivative of type: xs:date		
Format			
Source	<pre><xs:simpleType name="ISODate" > <xs:restriction base="xs:date" > </xs:restriction> </xs:simpleType></pre>		
ISODateTime- Date and time (simple type)			
Description	Date and time		
Type	Derivative of type: xs:dateTime		
Format			
Source	<pre><xs:simpleType name="ISODateTime" > <xs:restriction base="xs:dateTime" > </xs:restriction> </xs:simpleType></pre>		
KDPWDocument- KDPW_CCP system message (complex type)			
Description	KDPW_CCP system message		
Attributes	Name	Description	Type
	Sndr	Sender	KDPWMemberIdentifier

	Rcvr	Receiver	<u>KDPWMemberIdentifier</u>
Component elements	<u>auct.oda.001.01</u>		
Source	<pre><xs:complexType name="KDPWDocument" > <xs:sequence > <xs:element name="auct.oda.001.01" type="auct.oda.001.01" /> </xs:sequence> < xs:attribute name="Sndr" type="KDPWMemberIdentifier" use="required" /> < xs:attribute name="Rcvr" type="KDPWMemberIdentifier" use="required" /> </xs:complexType></pre>		
KDPWDocument/auct.oda.001.01- Auction - on-demand auction result acceptance (element)			
Description	Auction - on-demand auction result acceptance		
Type	<u>auct.oda.001.01</u>		
Source	<pre><xs:element name="auct.oda.001.01" type="auct.oda.001.01" /></pre>		
KDPWMemberIdentifier- KDPW member identifier (simple type)			
Description	KDPW member identifier		
Type	Derivative of type: xs:string		
Format	Min. length=4 Max. length=4		
Source	<pre><xs:simpleType name="KDPWMemberIdentifier" > <xs:restriction base="xs:string" > <xs:whiteSpace value="collapse" /> <xs:minLength value="4" /> <xs:maxLength value="4" /> </xs:restriction> </xs:simpleType></pre>		
Max4Text- Text (simple type)			
Description	Text, max. length 4 characters		
Type	Derivative of type: xs:string		
Format	Min. length=1 Max. length=4		
Source	<pre><xs:simpleType name="Max4Text" > <xs:restriction base="xs:string" > <xs:whiteSpace value="collapse" /> <xs:minLength value="1" /> <xs:maxLength value="4" /> </xs:restriction> </xs:simpleType></pre>		
Max16Text- Text (simple type)			
Description	Text, max. length 16 characters		
Type	Derivative of type: xs:string		

Format	Min. length=1 Max. length=16
Source	<pre><xs:simpleType name="Max16Text" > <xs:restriction base="xs:string" > <xs:minLength value="1" /> <xs:maxLength value="16" /> </xs:restriction> </xs:simpleType></pre>
Max16TextCollapse- Text (simple type)	
Description	Text, max. length 16 characters
Type	Derivative of type: xs:string
Format	Min. length=1 Max. length=16
Source	<pre><xs:simpleType name="Max16TextCollapse" > <xs:restriction base="xs:string" > <xs:whiteSpace value="collapse" /> <xs:minLength value="1" /> <xs:maxLength value="16" /> </xs:restriction> </xs:simpleType></pre>
AcceptanceDetails- Acceptance details (complex type)	
Description	Acceptance details
Component elements	RqstId AuctnId Rspns
Source	<pre><xs:complexType name="AcceptanceDetails" > <xs:sequence > <xs:element name="RqstId" type="Max16Text" /> <xs:element name="AuctnId" type="Max16Text" /> <xs:element name="Rspns" type="Code4Text" /> </xs:sequence> </xs:complexType></pre>
AcceptanceDetails/RqstId- Request identifier (element)	
Description	Request identifier
Type	Max16Text
Source	<xs:element name="RqstId" type="Max16Text" />
AcceptanceDetails/AuctnId- Auction identifier (element)	
Description	Auction identifier
Type	Max16Text
Source	<xs:element name="AuctnId" type="Max16Text" />
AcceptanceDetails/Rspns- Offer accepted (ACPT) or rejected (RJCT) (element)	
Description	Offer accepted (ACPT) or rejected (RJCT)

Type	Code4Text
Source	<xs:element name="Rspns" type="Code4Text" />
auct.oda.001.01- Auction - on-demand auction result acceptance (complex type)	
Description	Auction - on-demand auction result acceptance
Component elements	GnlInf AcptncDtls
Source	<xs:complexType name="auct.oda.001.01" > <xs:sequence > <xs:element name="GnlInf" type="GeneralInformation" /> <xs:element name="AcptncDtls" type="AcceptanceDetails" /> </xs:sequence> </xs:complexType>
auct.oda.001.01/GnlInf- General information (element)	
Description	General information
Type	GeneralInformation
Source	<xs:element name="GnlInf" type="GeneralInformation" />
auct.oda.001.01/AcptncDtls- Acceptance details (element)	
Description	Acceptance details
Type	AcceptanceDetails
Source	<xs:element name="AcptncDtls" type="AcceptanceDetails" />