

Structure of message: Auction - quotation status (auct.stq.001.01)

Description:

Auction - quotation status

Structure:

| No. | Or | < XML Tag > | Name | Multiplicity | Type |
|---------|------|---------------------------------|----------------------------|--------------|---------------------------------------|
| 0 | | KDPWDocument | KDPW_CCP system message | [1..1] | KDPWDocument |
| 0.1 | | auct.stq.001.01 | Auction - quotation status | [1..1] | auct.stq.001.01 |
| 1 | | GnlInf | General information | [1..1] | GeneralInformation |
| 1.1 | | SndrMsgRef | Sender message reference | [1..1] | Max16Text |
| 1.2 | | FuncOfMsg | Function of message | [1..1] | FunctionOfMessage |
| 1.3 | | CreDtTm | Creation date and time | [0..1] | DateAndDateTimeChoice |
| 1.3.1 | { or | Dt | Date | [1..1] | ISODate |
| 1.3.2 | or } | DtTm | Date and time | [1..1] | ISODateTime |
| 1.4 | | AuctnId | Auction identifier | [1..1] | Max16Text |
| 1.5 | | Lnk | Linkages | [1..1] | Linkages |
| 1.5.1 | | RltdRef | Related reference | [1..1] | Max16Text |
| 2 | | StsDtIs | Status details | [1..n] | StatusDetails |
| 2.1 | | QtnId | Quotation identifier | [0..1] | Max16Text |
| 2.2 | | AuctnSgmntId | Auction segment identifier | [0..1] | Max16Text |
| 2.3 | | Sts | Status | [1..1] | Status |
| 2.3.1 | | StsCd | Status code | [1..1] | Code4Text |
| 2.3.2 | | Rsn | Reason | [0..1] | Reason |
| 2.3.2.1 | | RsnCd | Reason code | [0..1] | Code4Text |
| 2.3.2.2 | | RsnTxt | Reason description | [0..1] | Max140Text |

Message component elements:

| | |
|--|------------------------------|
| KDPWDocument- KDPW_CCP system message (element) | |
| Description | KDPW_CCP system message |
| Type | KDPWDocument |

| | |
|---|---|
| Source | <code><xs:element name="KDPWDocument" type="KDPWDocument" /></code> |
| Code4Text- Qualifier (simple type) | |
| Description | Qualifier, code |
| Type | Derivative of type: xs:string |
| Format | Min. length=4 Max. length=4 |
| Source | <code><xs:simpleType name="Code4Text" > <xs:restriction base="xs:string" > <xs:whiteSpace value="collapse" /> <xs:minLength value="4" /> <xs:maxLength value="4" /> </xs:restriction> </xs:simpleType></code> |
| DateAndDateTimeChoice- Date and time (complex type) | |
| Description | Date and time |
| Component elements | Dt DtTm |
| Source | <code><xs:complexType name="DateAndDateTimeChoice" > <xs:sequence > <xs:choice > <xs:element name="Dt" type="ISODate" /> <xs:element name="DtTm" type="ISODateTime" /> </xs:choice> </xs:sequence> </xs:complexType></code> |
| DateAndDateTimeChoice/Dt- Date (element) | |
| Description | Date |
| Type | ISODate |
| Source | <code><xs:element name="Dt" type="ISODate" /></code> |
| DateAndDateTimeChoice/DtTm- Date and time (element) | |
| Description | Date and time |
| Type | ISODateTime |
| Source | <code><xs:element name="DtTm" type="ISODateTime" /></code> |
| FunctionOfMessage- Function of message (simple type) | |
| Description | Function of message |
| Type | Derivative of type: xs:string |
| Format | Code Description NEWMNew message |
| Source | <code><xs:simpleType name="FunctionOfMessage" > <xs:restriction base="xs:string" ></code> |

| | |
|--|---|
| | <pre><xs:enumeration value="NEWM" /> </xs:restriction> </xs:simpleType></pre> |
| GeneralInformation- General information (complex type) | |
| Description | General information |
| Component elements | SndrMsgRef FuncOfMsg CreDtTm {0,1} AuctnId Lnk |
| Source | <pre><xs:complexType name="GeneralInformation" > <xs:sequence > <xs:element name="SndrMsgRef" type="Max16Text" /> <xs:element name="FuncOfMsg" type="FunctionOfMessage" /> <xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /> <xs:element name="AuctnId" type="Max16Text" /> <xs:element name="Lnk" type="Linkages" /> </xs:sequence> </xs:complexType></pre> |
| GeneralInformation/SndrMsgRef- Sender message reference (element) | |
| Description | Sender message reference |
| Type | Max16Text |
| Source | <pre><xs:element name="SndrMsgRef" type="Max16Text" /></pre> |
| GeneralInformation/FuncOfMsg- Function of message (element) | |
| Description | Function of message |
| Type | FunctionOfMessage |
| Source | <pre><xs:element name="FuncOfMsg" type="FunctionOfMessage" /></pre> |
| GeneralInformation/CreDtTm- Creation date and time (element) | |
| Description | Creation date and time |
| Type | DateAndDateTimeChoice |
| Source | <pre><xs:element name="CreDtTm" type="DateAndDateTimeChoice" minOccurs="0" /></pre> |
| GeneralInformation/AuctnId- Auction identifier (element) | |
| Description | Auction identifier |
| Type | Max16Text |
| Source | <pre><xs:element name="AuctnId" type="Max16Text" /></pre> |
| GeneralInformation/Lnk- Linkages (element) | |
| Description | Linkages |
| Type | Linkages |
| Source | <pre><xs:element name="Lnk" type="Linkages" /></pre> |

| ISODate- Date (simple type) | | | | | | | | | | |
|---|---|--------------------------------------|-------------|------|------|--------|--------------------------------------|------|----------|--------------------------------------|
| Description | Date | | | | | | | | | |
| Type | Derivative of type: xs:date | | | | | | | | | |
| Format | | | | | | | | | | |
| Source | <pre><xs:simpleType name="ISODate" > <xs:restriction base="xs:date" > </xs:restriction> </xs:simpleType></pre> | | | | | | | | | |
| ISODateTime- Date and time (simple type) | | | | | | | | | | |
| Description | Date and time | | | | | | | | | |
| Type | Derivative of type: xs:dateTime | | | | | | | | | |
| Format | | | | | | | | | | |
| Source | <pre><xs:simpleType name="ISODateTime" > <xs:restriction base="xs:dateTime" > </xs:restriction> </xs:simpleType></pre> | | | | | | | | | |
| KDPWDocument- KDPW_CCP system message (complex type) | | | | | | | | | | |
| Description | KDPW_CCP system message | | | | | | | | | |
| Attributes | <table border="1"> <thead> <tr> <th>Name</th> <th>Description</th> <th>Type</th> </tr> </thead> <tbody> <tr> <td>Sndr</td> <td>Sender</td> <td>KDPWMemberIdentifier</td> </tr> <tr> <td>Rcvr</td> <td>Receiver</td> <td>KDPWMemberIdentifier</td> </tr> </tbody> </table> | Name | Description | Type | Sndr | Sender | KDPWMemberIdentifier | Rcvr | Receiver | KDPWMemberIdentifier |
| Name | Description | Type | | | | | | | | |
| Sndr | Sender | KDPWMemberIdentifier | | | | | | | | |
| Rcvr | Receiver | KDPWMemberIdentifier | | | | | | | | |
| Component elements | auct.stq.001.01 | | | | | | | | | |
| Source | <pre><xs:complexType name="KDPWDocument" > <xs:sequence > <xs:element name="auct.stq.001.01" type="auct.stq.001.01" /> </xs:sequence> < xs:attribute name="Sndr" type="KDPWMemberIdentifier" use="required" /> < xs:attribute name="Rcvr" type="KDPWMemberIdentifier" use="required" /> </xs:complexType></pre> | | | | | | | | | |
| KDPWDocument/auct.stq.001.01- Auction - quotation status (element) | | | | | | | | | | |
| Description | Auction - quotation status | | | | | | | | | |
| Type | auct.stq.001.01 | | | | | | | | | |
| Source | <pre><xs:element name="auct.stq.001.01" type="auct.stq.001.01" /></pre> | | | | | | | | | |
| KDPWMemberIdentifier- KDPW member identifier (simple type) | | | | | | | | | | |
| Description | KDPW member identifier | | | | | | | | | |
| Type | Derivative of type: xs:string | | | | | | | | | |
| Format | Min. length=4 Max. length=4 | | | | | | | | | |

| | |
|--|--|
| Source | <pre> <xs:simpleType name="KDPWMemberIdentifier" > <xs:restriction base="xs:string" > <xs:whiteSpace value="collapse" /> <xs:minLength value="4" /> <xs:maxLength value="4" /> </xs:restriction> </xs:simpleType> </pre> |
| Linkages- Linkages (complex type) | |
| Description | Linkages |
| Component elements | RltdRef |
| Source | <pre> <xs:complexType name="Linkages" > <xs:sequence > <xs:element name="RltdRef" type="Max16Text" /> </xs:sequence> </xs:complexType> </pre> |
| Linkages/RltdRef- Related reference (element) | |
| Description | Related reference |
| Type | Max16Text |
| Source | <pre> <xs:element name="RltdRef" type="Max16Text" /> </pre> |
| Max4Text- Text (simple type) | |
| Description | Text, max. length 4 characters |
| Type | Derivative of type: xs:string |
| Format | Min. length=1 Max. length=4 |
| Source | <pre> <xs:simpleType name="Max4Text" > <xs:restriction base="xs:string" > <xs:whiteSpace value="collapse" /> <xs:minLength value="1" /> <xs:maxLength value="4" /> </xs:restriction> </xs:simpleType> </pre> |
| Max16Text- Text (simple type) | |
| Description | Text, max. length 16 characters |
| Type | Derivative of type: xs:string |
| Format | Min. length=1 Max. length=16 |
| Source | <pre> <xs:simpleType name="Max16Text" > <xs:restriction base="xs:string" > <xs:minLength value="1" /> <xs:maxLength value="16" /> </xs:restriction> </xs:simpleType> </pre> |

| | |
|--|--|
| | <pre></xs:restriction> </xs:simpleType></pre> |
| Max140Text- Text (simple type) | |
| Description | Text, max. length 140 characters |
| Type | Derivative of type: xs:string |
| Format | Min. length=1 Max. length=140 |
| Source | <pre><xs:simpleType name="Max140Text" > <xs:restriction base="xs:string" > <xs:minLength value="1" /> <xs:maxLength value="140" /> </xs:restriction> </xs:simpleType></pre> |
| Reason- Reason (complex type) | |
| Description | Reason |
| Component elements | RsnCd {0,1} RsnTxt {0,1} |
| Source | <pre><xs:complexType name="Reason" > <xs:sequence > <xs:element name="RsnCd" type="Code4Text" minOccurs="0" /> <xs:element name="RsnTxt" type="Max140Text" minOccurs="0" /> </xs:sequence> </xs:complexType></pre> |
| Reason/RsnCd- Reason code (element) | |
| Description | Reason code |
| Type | Code4Text |
| Source | <pre><xs:element name="RsnCd" type="Code4Text" minOccurs="0" /></pre> |
| Reason/RsnTxt- Reason description (element) | |
| Description | Reason description |
| Type | Max140Text |
| Source | <pre><xs:element name="RsnTxt" type="Max140Text" minOccurs="0" /></pre> |
| Status- Status (complex type) | |
| Description | Status |
| Component elements | StsCd Rsn {0,1} |
| Source | <pre><xs:complexType name="Status" > <xs:sequence > <xs:element name="StsCd" type="Code4Text" /> <xs:element name="Rsn" type="Reason" minOccurs="0" /> </xs:sequence> </xs:complexType></pre> |

| | |
|---|---|
| Status/StsCd- Status code (element) | |
| Description | Status code |
| Type | Code4Text |
| Source | <xs:element name="StsCd" type="Code4Text" /> |
| Status/Rsn- Reason (element) | |
| Description | Reason |
| Type | Reason |
| Source | <xs:element name="Rsn" type="Reason" minOccurs="0" /> |
| StatusDetails- Status details (complex type) | |
| Description | Status details |
| Component elements | QtnId {0,1} AuctnSgmntId {0,1} Sts |
| Source | <xs:complexType name="StatusDetails" > <xs:sequence > <xs:element name="QtnId" type="Max16Text" minOccurs="0" /> <xs:element name="AuctnSgmntId" type="Max16Text" minOccurs="0" /> <xs:element name="Sts" type="Status" /> </xs:sequence> </xs:complexType> |
| StatusDetails/QtnId- Quotation identifier (element) | |
| Description | Quotation identifier |
| Type | Max16Text |
| Source | <xs:element name="QtnId" type="Max16Text" minOccurs="0" /> |
| StatusDetails/AuctnSgmntId- Auction segment identifier (element) | |
| Description | Auction segment identifier |
| Type | Max16Text |
| Source | <xs:element name="AuctnSgmntId" type="Max16Text" minOccurs="0" /> |
| StatusDetails/Sts- Status (element) | |
| Description | Status |
| Type | Status |
| Source | <xs:element name="Sts" type="Status" /> |
| auct.stq.001.01- Auction - quotation status (complex type) | |
| Description | Auction - quotation status |
| Component elements | GnlInf StsDtIs {1,unbounded} |
| Source | <xs:complexType name="auct.stq.001.01" > <xs:sequence > |

| | |
|--|---|
| | <pre> <xs:element name="GnlInf" type="GeneralInformation" /> <xs:element name="StsDtIs" type="StatusDetails" maxOccurs="unbounded" /> </xs:sequence> </xs:complexType> </pre> |
| auct.stq.001.01/GnlInf- General information (element) | |
| Description | General information |
| Type | <u>GeneralInformation</u> |
| Source | <pre><xs:element name="GnlInf" type="GeneralInformation" /></pre> |
| auct.stq.001.01/StsDtIs- Status details (element) | |
| Description | Status details |
| Type | <u>StatusDetails</u> |
| Source | <pre><xs:element name="StsDtIs" type="StatusDetails" maxOccurs="unbounded" /></pre> |